

SUPPLEMENT TO

The Gazette



of India

सत्यमेव जयते

No. 7]

NEW DELHI, SATURDAY, FEBRUARY 18, 1956

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 21st January, 1956

OFFICIAL PAPERS

CHOLERA						CHOLERA					
SMALLPOX						SMALLPOX					
PLAGUE						PLAGUE					
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
STATES PART (A) & PART (C)						Bhopal					
Almer						"N.R."					
TOTAL	Bihar					
(Estd. mid-year pop. 752 thousands.)						Patna	23	8	..
Total for w/e 14-1-56	Gaya	22	8	..
Total for w/e 7-1-56	Shahabad
7-yearly mean for the week	5	3	..	Saran	2	3	..
Andhra						Purnea	18	5	..
Visakhapatnam	5	3	..	Santal Parganas	6	6	..
Godavari East	48	13	..	Manbhum	7	5	..
Godavari West	5	1	..	TOTAL	78	35	..
Krishna	32	5	..	(Estd. mid-year pop. 42,198 thousands.)	PSE:				
Guntur	76	12	..	Total for w/e 14-1-56	188	38	..
Nellore	1	1	..	Total for w/e 7-1-56	73	16	..
Kurnool	6	7-yearly mean for the week	4	2	76	14	..
Cuddapah	Bombay					
Anantapur	1	Greater Bombay	1	2	..
TOTAL	36	10	174	35	..	Ahmedabad	13	9	..
(Estd. mid-year pop. 21,238 thousands.)						Surat	37	12	..
Total for w/e 14-1-56	21	4	121	20	..	Ahmednagar	28	3	..
Total for w/e 7-1-56	20	3	67	16	..	East Khandesh	6	3	..
7-yearly mean for the week	178	108	192	38	..	Nasik	3
Assam						Satara North	1
TOTAL	Sabarkantha	7
(Estd. mid-year pop. 9,817 thousands.)						Mehsana	7	6	..
Total for w/e 14-1-56	3	Banaskantha	38	4	..
Total for w/e 7-1-56	3	TOTAL	141	39	..
7-yearly mean for the week	15	5	..						

Explanation of Symbols used ; C=Cases; D=Deaths; N.R.=Information not received; ..=Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 21st January, 1956—*contd.*

CHOLERA							SMALLPOX							PLAGUE																															
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.																							
Bombay—contd.																							Madras																						
(Estd. mid-year pop. 39,569 thousands.)																							Madras Town 1																						
Total for w/e 14-1-56 91 26																							North Arcot 3 1																						
Total for w/e 7-1-56 88 26																							South Arcot 10 3																						
7-yearly mean for the week 6 4 290 65																							Tirunelveli 12																						
																							Malabar 5 3																						
																							TOTAL 31 7																						
Coorg																							(Estd. mid-year pop. 38,273 thousands.)																						
TOTAL																							Total for w/e 14-1-56 13 4																						
(Estd. mid-year pop. 262 thousands.)																							Total for w/e 7-1-56 30 6																						
Total for w/e 14-1-56																							7-yearly mean for the week 1,287 667 152 33																						
Total for w/e 7-1-56																							Manipur																						
7-yearly mean for the week																							TOTAL																						
Delhi																							(Estd. mid-year pop. 673 thousands.)																						
"N.R."																							Total for w/e 14-1-56																						
																							Total for w/e 7-1-56																						
Himachal Pradesh																							Orissa																						
TOTAL																							Cuttack 3 1 1																						
(Estd. mid-year pop. 1,003 thousands.)																							Balasore 3																						
Total for w/e 14-1-56																							Puri 24 1																						
Total for w/e 7-1-56																							Sambalpur 1																						
																							Bandh 1																						
																							Dhenkanal 3 1																						
																							TOTAL 3 1 33 2																						
																							(Estd. mid-year pop. 13,114 thousands.)																						
																							Total for w/e 14-1-56 14 7 117 2																						
																							Total for w/e 7-1-56 2 2 30																						
																							7-yearly mean for the week 52 28 159 24																						
																							Punjab (I)																						
																							Rohtak 4 1																						
																							Ambala 2																						
																							Hoshiarpur 1																						
																							Ferozepur 1																						
																							TOTAL 8 1																						
																							(Estd. mid-year pop. 12,641 thousands.)																						
																							Total for w/e 14-1-56 6 2																						
																							Total for w/e 7-1-56 28 6																						
																							7-yearly mean for the week 18 3																						

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 21st January, 1956—*continued*

CHOLERA								SMALLPOX								PLAGUE																																							
C.				D.				C.				D.				C.				D.																																			
Travancore-Cochin																Bhopal																																							
TOTAL								7								8																														
Grand Total for States Part (B)								6								2								56								27								2								..							
Grand Total for States Parts (A), (B) and (C) 100								43								955								252								7								1															
ARREAR INFORMATION																																																							
Jammu and Kashmir																																																							
TOTAL								w/e 7-1-56								20								3																						
TOTAL								w/e 14-1-56								4								1																						
Madhya Pradesh																																																							
TOTAL								w/e 14-1-56								106								12																						
Nagpur								..								14								5																						
Chhindwara								..								32								2																						
Betul								..								14																						
Sagar								..								3								1																						
Hoshangabad								..								10								4																						
Raipur								..								11								1																						
Bhandara								..								12																						
Balaghat								..								14								2																						
Amravati								..								16								3																						
Akola								..								233								30																						
Buldana																						
Rajasthan																																																							
TOTAL								w/e 24-12-55								33								2																						
TOTAL								w/e 31-12-55								46								19																						
TOTAL								w/e 7-1-56								104								60																						
TOTAL								w/e 14-1-56								86								23																						
Bihar																Himachal Pradesh																																							
TOTAL								w/e 7-1-56								10								1																						
Patna								..								11								4																						
Gaya								..								5																						
Darbhanga								..								24								8																						
Purnea								..								1																						
Hazaribag								..								22								3																						
Manbhum								..								73								16																						
TOTAL								w/e 14-1-56								21								5																						
Patna								..								16								7																						
Gaya								..								5																						
Shahabad								..								68								18																						
Purnea								..								7								3																						
Manbhum								..								71								5																						
Darbhanga								..								188								38																						
TOTAL								w/e 14-1-56																						
POLIOMYELITIS																																																							
(Information based on patients treated in hospitals in important towns)																																																							
Places																Period																Cases																							
West Bengal																16-31 December 1955																1956																							
Uttar Pradesh																16-31 December 1955																1956																							
Punjab																1-15 Jan. 1956																6 (Paralytic)																							
Punjab (Revised)																16-31 Dec. 1955																8 (Paralytic)																							

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 21st January, 1956

Town	Mid.-year 1953 Popn. Est. (000)	B.	B.R.*	Deaths from —							Total	D.R.*	I.D.
				C	S.	P.	F.	D.D.	R.D.	M.D			
STATES—(Parts A and C)													
Ajmer													
"N. R."													
Andhra													
Adoni	63	40	33.0	2	3	..	12	9.9	5
Anantpur†													
Anakapalle	46	30	33.9	3	2	2	..	25	28.3	6
Bhimavaram	36	43	62.1	1	1	1	..	9	13.0	4
Chirala	43	46	55.6	..	1	..	5	1	1	..	16	19.3	3
Chittoor	45	40	46.2	2	1	1	..	9	10.4	3
Cuddapah	42	35	43.3	1	4	5.0	1
Eluru	99	51	26.8	3	..	1	..	19	10.0	2
Gudivada	36	31	44.8	2	1	9	13.0	2
Guntur	147	112	39.6	..	1	..	2	1	10	..	35	12.4	5
Guntakal	37	30	42.2	1	1	10	14.1	2
Kakinada †													
Kurnool	68	65	49.7	4	1	3	1	40	30.6	6
Masulipatnam	88	61	36.1	3	1	2	..	27	16.0	9
Nandyal	37	25	35.1	1	1	..	12	16.9	2
Nellore	95	83	45.4	9	3	1	1	53	29.0	16
Proddatur	42	32	39.6	1	..	1	10	12.4	2
Rajahmundry	122	68	29.0	..	1	..	5	..	1	..	44	18.7	5
Tenali	67	53	41.1	2	..	6	..	21	16.3	8
Vijayavada	201	140	36.2	..	2	..	2	2	1	..	35	9.1	9
Visakhapatnam	128	73	29.6	..	2	..	12	1	19	..	63	25.6	18
Vijianagaram	75	41	28.4	5	4	1	..	34	23.6	6
TOTAL	15.17	10.99	37.7	..	8	..	61	22	55	5	487	16.7	114
Assam													
Dibrugarh	46	2	2.3	1	..	1	..	2	2.3	..
Gauhati†													
Silchar	43	17	20.6	3	1	8	9.7	2
Shillong†													
TOTAL	89	19	11.1	4	1	1	..	10	5.8	2
Bhopal													
Bhopal City	116	74	33.2	2	..	4	..	9	4.0	..
Bihar													
"N. R."													
Bombay													
Ahmedabad	889	679	39.7	..	5	..	5	9	83	..	317	18.3	90
Ahmednagar	88	53	31.3	1	2	1	..	15	8.9	4
Amalner	50	46	47.8	3	..	1	..	7	7.3	..
Bagalkot	36	13	18.8	1	4	5.8	1
Baroda	242	179	38.4	12	1	9	..	70	15.0	16
Barshi	46	33	37.3	6	1	1	..	22	24.9	8
Belgaum	110	87	41.1	3	..	14	1	50	23.6	8
Bhusawal	62	26	21.8	2	1	1	..	8	6.7	2
Bijapur	75	62	42.9	1	2	3	..	21	14.6	..
Broach	67	54	41.9	6	..	2	1	17	13.2	2
Cambay	41	31	39.3	1	7	8.9	2
Chalisgaon	35	19	28.2	4	..	1	..	6	8.9	2
Dharwar	76	25	17.1	2	23	15.7	4
Dhulia	89	28	16.4	4	..	4	..	16	9.3	2
Gadag Betegeri	71	42	30.6	10	..	1	1	23	16.8	5
Godra	40	49	63.7	4	..	3	..	16	20.8	6
Greater Bombay	3,449	1,193	18.0	..	2	24	104	1	545	8.2	139
Hubli	148	85	29.9	1	1	3	..	22	7.7	1

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used ;—B.=Births ; B. R.=Birth Rate ; C. =Cholera ; S. =Smallpox ; P.=Plague ; F. =Fever ; D. D.=Dysentery and Diarrhoea ; R. D.=Respiratory Diseases ; M. D.=Maternal Deaths ; D.R.=Death Rate ; I. D.=Infantile Deaths included in total Deaths ; ..=Nil Information ; "N. R."=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st January, 1956—*contd.*

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Bombay—contd.														
Jalgaon . . .	79	31	20.4	2	..	4	..	13	8.6	2	
Kalyan . . .	73	30	21.4	1	..	2	..	7	4.9	3	
Kolhapur . . .	159	80	26.2	3	1	6	..	22	7.2	5	
Malegaon†														
Miraj . . .	44	26	30.7	4	..	14	16.5	..	
Nidiad . . .	71	73	53.5	10	16	11.7	5	
Nandurbar . . .	35	20	29.7	1	..	3	..	6	8.9	1	
Nasik . . .	119	54	23.6	4	..	2	1	27	11.8	5	
Navsari . . .	50	38	39.5	3	10	10.4	4	
Pandharpur . . .	44	31	36.7	3	1	3	..	8	9.5	3	
Patan . . .	47	38	42.0	..	3	..	5	..	9	..	24	26.6	7	
Poona . . .	607	289	24.8	2	6	31	2	125	10.7	33	
Sangli . . .	58	31	27.8	1	1	2	..	10	9.0	2	
Satara . . .	40	27	35.1	1	..	6	7.8	2	
Sholapur . . .	299	268	46.6	12	5	40	..	106	18.4	29	
Surat . . .	250	183	38.1	..	9	..	17	1	22	..	129	26.8	56	
Thanet†														
TOTAL	7,589	3,923	26.9	..	19	..	129	57	360	7	1,712	11.7	449	
Delhi State														
"N.R."														
Madhya Pradesh														
Achalpur . . .	38	32	42.8	3	1	1	..	10	13.7	5	
Akola . . .	104	82	41.0	6	1	1	3	29	14.5	10	
Amravati . . .	101	115	59.2	3	1	23	11.8	11	
Bilaspur†														
Burhanpur . . .	79	64	42.1	8	1	2	..	19	12.5	..	
Chanda†														
Chindwar†														
Damoh . . .	42	14	17.3	2	10	12.4	..	
Gondia . . .	45	22	25.4	4	..	1	2	8	9.2	1	
Hinanghat†														
Jabalpur†														
Khandwa . . .	59	26	22.9	2	..	1	..	7	6.2	..	
Khamgaon . . .	42	20	24.8	1	4	5.0	..	
Kamptee†														
Murwar†														
Nagpur†														
Sagar . . .	75	32	22.2	..	4	..	3	..	2	..	17	11.8	..	
Raipur†														
Rajgarh . . .	35	18	26.7	1	..	2	..	5	7.4	..	
Wardhat†														
Yeotmal . . .	41	26	33.0	3	..	1	..	15	19.0	7	
TOTAL	6,61	4,51	35.5	..	4	..	36	4	11	5	147	11.6	34	
Madras														
"N.R."														
Orissa														
Berhampur . . .	72	105	75.8	3	1	2	..	16	11.6	3	
Cuttack . . .	117	146	65.3	5	7	5	..	44	19.6	5	
Puri . . .	53	49	48.1	9	2	2	1	28	27.5	7	
TOTAL	242	300	64.5	17	10	9	1	88	18.9	15	
Punjab (I)														
Ambala . . .	65	49	39.2	1	7	..	13	10.5	5	
Amritsar . . .	343	201	30.6	4	26	1	72	11.0	5	
Batala . . .	62	47	39.4	2	7	5.9	2	
Bhiwani . . .	57	57	52.0	10	1	6	..	20	20.0	1	
Perozepore . . .	45	39	45.1	1	7	..	11	12.8	4	
Hissar . . .	39	42	56.0	4	1	3	..	9	12.0	3	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; .. = Nil Information ; "N. R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st January, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.	Deaths from :—							Total	D.R.	I.D.
				C.	S.	F.	P.	D.D.	R.D.	M.D.			
Punjab (I)—contd.													
Hoshiarpur	51	18	18.5	1	..	4	4.1	1
Jullundur	200	156	40.6	4	3	13	1	33	8.6	10
Karnal	72	45	52.5	2	1	2	..	12	8.7	..
Ludhiana	176	142	42.0	13	..	3	..	36	10.7	13
Moga	41	27	34.2	4	..	9	11.5	2
Panipat	64	44	35.9	2	1	4	..	8	6.5	4
Pathankot	34	42	64.2	1	..	4	..	6	9.2	1
Rewari	36	28	40.6	4	..	2	..	8	11.6	2
Rohtak	105	56	27.7	1	7	3.5	1
Simla	50	24	25.0	5	5.2	1
Sonapat	34	24	36.7	2	..	3	4.6	..
TOTAL	1,474	1041	36.7	43	13	84	2	263	9.3	55
Uttar Pradesh													
Agra	375	392	54.4	3	39	..	71	9.9	21
Allahabad	339	215	32.0	3	1	23	..	65	9.7	12
Amroha	61	38	32.4	2	1	3	..	16	13.7	5
Bahraich	47	17	18.9	..	1	..	4	1	13	14.5	5
Banaras	383	292	39.6	..	2	..	25	3	10	..	134	18.3	31
Ballia	35	6	9.0	1	..	1	..	5	7.5	1
Banda	32	16	26.0	..	1	1	..	5	8.1	1
Bareilly	302	79	20.3	13	1	9	..	30	7.7	7
Bijnor†
Budaun	54	30	28.9	1	..	1	1	12	11.6	7
Basti†
Bulandshahr†
Chandauli	41	41	52.0	2	1	4	..	15	19.0	6
Dehra Dun	146	90	32.2	..	3	..	2	3	5	..	18	6.4	2
Etawah	64	52	42.3	5	..	4	..	15	12.2	5
Faizabad-Ayodhya	88	52	30.7	1	1	3	1	9	5.3	2
Farrukhabad-Fatehgarh	82	44	28.0	5	2	5	..	15	9.6	3
Perozabad	79	40	26.3	3	..	1	..	7	4.6	3
Gazisabad	46	30	33.9	3	9	10.2	2
Gazipur	36	24	34.8	4	..	2	..	15	21.8	2
Gorakhpur	140	77	28.7	8	4	10	..	32	11.9	11
Gonda	35	10	14.9	1	1	3	4.5	..
Hapur	49	30	31.8	6	..	2	..	11	11.7	5
Hardwar	64	33	26.9	8	1	4	..	20	16.3	1
Hathras	62	39	32.7	1	..	12	..	16	13.4	..
Jaunpur	56	25	23.3	3	..	5	..	12	11.2	1
Jhansi	116	105	47.1	16	1	4	..	32	14.4	6
Kanpur	734	421	29.8	..	1	..	100	16	37	5	269	19.2	74
Kasganj	34	8	12.3	1	1	1.5	1
Khurja	41	33	41.9	3	..	7	8.9	2
Koli-Aligarh	150	50	17.4	2	3	10	..	22	7.7	10
Lucknow	494	335	35.4	43	18	57	2	163	17.2	35
Mathura	110	85	40.2	8	..	5	..	19	9.0	3
Mau-Nath Bhanjan	38	29	39.7	..	15	..	2	20	27.4	4
Meerut	185	93	26.1	3	2	7	1	25	7.0	9
Mirzapur-Vindhyachal	97	54	28.9	..	5	..	7	1	5	..	24	12.9	3
Moradabad	164	170	53.9	2	5	19	..	40	12.7	14
Muzaffarnagar	74	33	23.3	4	9	6.3	1
Pilibhit	45	32	37.0	7	..	3	..	11	12.8	3
Rampur†
Saharanpur	162	96	30.8	20	1	1	..	31	10.0	6
Sambhal	65	36	28.9	5	2	2	..	14	11.3	3
Shahjahanpur	99	58	30.5	2	..	4	..	11	5.8	3
Sitapur	49	26	27.6	1	..	2	..	3	3.2	1
TOTAL	5,184	3,336	33.5	..	28	..	323	71	304	11	1,249	12.5	319

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimate may not be sufficiently reliable for calculating the birth and death rates.

† Figures are not available.

Explanation of symbols used :—B.—Births, B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M. D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st January, 1956—*contd.*

Town	Mid.-year Popn.-Est. (000)	B.	B. R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
West Bengal														
Asansol	86	4	2.4	1	0.6	..
Baidyabati†														
Bally	66	7	5.5	1	..	3	2.4	..
Bankura†														
Bansberia†														
Baranagar	90	32	18.6	1	..	4	18	10.4	7
Basirhat	39	10	13.4	1	1	4	5.4	1
Berhampur	64	5	4.1	..
Bhadreshwar	34	3	4.6	3	..	1	8	12.3	..
Bhatpara	143	24	8.8	5	2	3	23	8.4	8
Budge-Budge	32	10	16.3	1	3	4.9	..
Burdwan	82	15	9.6	1	..	3	7	4.5	..
Calcutta	2,384	1,324	23.2	26	50	148	2	..	584	10.2	148
Campdani	41	15	19.0	1	1.3	..
Cooch-Behar†														
Darjeeling†														
English-Bazar	36	17	24.7	9	13	8.9	..
Garden Reach	124	19	8.0	4	1	9	3.8	3
Halisahar	41	1	1.3	1
Hooghly-Chinsurah†														
Howrah	477	235	25.6	2	9	32	105	11.4	40
Jalpaiguri†														
Kamarhati†														
Kanchrapara	74	1	0.7	2	3	2.1	..
Krishnagar†														
Midnapore	45	31	35.8	2	..	2	11	12.8	..
Nabadwip	70	31	23.0	7	2	13	9.7	6
Naihati	62	4	3.4	1	3	2.5	..
North Barrackpore	36	5	7.3
Panihati†														
Shantipur	49	13	13.9	1	..	1	3	3.2	..
Serampore	83	24	15.1	2	1	5	15	9.4	3
Siliguri	44	11	13.0	1	1.2	..
South Dum Dum†														
South Suburban	124	8	3.4	4	2	1	..	11	4.6	5
Titagarh	78	27	18.1	10	..	2	1	..	14	9.3	3
TOTAL	5,004	1,871	19.4	10	65	70	207	4	..	858	8.9	225

STATES—(Part B)

Jammu & Kashmir

"N. R."

Madhya Bharat

"N.R."

Mysore

Bangalore	973	310	16.6	4	31	47	..	128	6.8	4
Mysore	294	197	34.8	18	11	12	1	113	19.0	6
Kolar Gold Fields	173	94	28.3	2	2	7	1	38	11.4	7
Davangere	69	40	30.1	3	7	5.3	5
TOTAL	1,509	641	22.1	24	47	66	2	286	9.9	22

PBPSU

"N.R."

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil information. "N.R."=information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st January, 1956—*contd.*

Town	Mid-year Popn.-Est. (000)	Deaths from :—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D	R.D.	M.D				
STATES—(PART B)														
Rajasthan														
Alwar . . .	60	51	44.2	1	..	1	..	8	6.9	3	
Bharatpur†														
Bikaner . . .	117	60	26.7	1	3	15	1	57	25.3	20	
Churu . . .	98	1	1.1	—	
Ganganagar . . .	47	1	1.1	..	1	..	3	..	1	..	10	11.1	..	
Tonk†														
Kotah . . .	72	10	7.2	5	1	13	9.4	..	
Sikar†														
Jaipur . . .	353	66	9.7	14	2	7	1	53	7.8	8	
Udaipur†														
Jodhpur†														
TOTAL . . .	697	188	14.0	..	1	..	24	6	24	2	142	10.6	31	
Travancore-Cochin														
Alleppey . . .	148	61	21.4	2	1	1	..	43	15.1	3	
Changanacherry . . .	41	25	31.7	4	..	1	..	4	5.1	1	
Ernakulam . . .	70	55	40.9	1	21	15.6	3	
Kottayam†														
Mattanchery . . .	85	54	33.0	10	6.1	2	
Nagercoil . . .	94	38	21.0	3	1	13	7.2	2	
Quilon . . .	75	100	69.3	1	2	2	..	17	11.8	1	
Trichur†														
Trivandrum City . . .	218	65	15.5	1	..	1	..	8	1.9	1	
TOTAL . . .	731	398	28.3	12	4	5	..	116	8.3	13	
Saurashtra														
Bhavnagar . . .	157	67	22.2	5	..	6	1	30	9.9	9	
Dhoraji . . .	47	29	32.1	1	..	7	7.7	1	
Gondal . . .	41	33	41.8	2	8	10.1	..	
Jamnagar . . .	122	85	36.2	8	2	3	..	36	15.3		
Junagadh . . .	65	44	35.2	7	1	11	8.8	3	
Morvi . . .	43	16	19.3	2	..	1	..	3	3.6	..	
Porbandar . . .	64	17	13.7	6	..	3	..	12	9.8	4	
Rajkot . . .	167	88	27.4	10	2	5	..	38	11.8	13	
Surendranagar . . .	42	22	27.2	1	..	5	..	10	12.3	2	
Veraval . . .	46	9	10.1	3	..	1	..	5	5.6	..	
TOTAL . . .	794	410	26.9	44	4	25	2	160	10.5	39	
Hyderabad														
Aurangabad . . .	73	8	5.7	..	1	..	1	8	5.7	2	
Bidar†														
Gulberga . . .	90	30	17.3	2	1	4	2	12	6.9	..	
Hyderabad City . . .	1,057	444	21.8	17	3	10	..	89	4.4	10	
Jalna†														
Kothagudiam . . .	71	15	11.0	1	0.7	..	
Latur . . .	41	1	1.0	1	1	1.0	..	
Nanded . . .	80	27	17.6	11	7.2	..	
Nizambad . . .	67	24	18.6	1	3	9	7.0	4	
Parbhani . . .	40	6	7.8	1	2	2.6	1	
Raichur†														
Secunderabad City . . .	162	124	38.8	3	2	5	..	33	10.6	9	
Warangal†														
TOTAL . . .	1,681	679	21.0	..	1	..	26	9	19	2	166	5.1	26	

Supplementary for week ending 14-1-56

Travancore-Cochin												
Supplementary for week ending 14-1-50												
Changanacherry . . .	41	15	19.0	1	3	3.8	..

Supplementary for week ending 7-1-56

Changanacherry . . .	41	17	21.6	4	5.1	..
----------------------	----	----	------	----	----	----	----	----	----	----	---	-----	----

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st January, 1956—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madhya Pradesh :													
Supplementary for week ending 24-12-55													
Bilaspur	40	29	37.7	1	..	1	..	13	16.9	..
Supplementary for week ending 31-12-55													
Sagar	73	34	24.2	..	7	..	7	2	1	..	19	13.5	..
Supplementary for week ending 7-1-56													
Jabalpur	237	103	22.6	16	1	12	..	41	9.0	..
Murwara	39	4	5.3	1	3	4.0	..
Khamgaon	42	32	39.6	2	..	1	..	9	11.1	..
Supplementary for week ending 14-1-56													
Jabalpur	237	106	23.3	11	1	10	..	32	7.0	..
Murwara	39	7	9.3	2	4	5.3	..
Damoh	42	21	26.0	5	9	11.1	..
Bilaspur	40	19	24.7	2	..	3	1	17	22.1	3
Gondia	45	30	34.7	3	..	1	1	6	6.9	1
Khamgaon	42	25	31.0	1	2	1	..	9	11.1	..

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanations of symbols used :—B.—Births ; B. R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D. D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 21st January, 1956, relate to 188 towns with an estimated population of 27,288 thousands. The total number of towns is 313 and their population is 41,203 thousands. Thus 60% of the total number of towns representing 66% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 14,430 and 5,693 representing birth and death rates of 27.5 and 10.8 per thousand of population respectively.

(a) States (Part A and C).—The data here relate to 152 towns with an estimated population of 21,876 thousands. Information about Ajmer, Bihar, Delhi and Madras could not be included. The total number of towns is 251 and their population is 33,402 thousands. Thus 61% of the total number of towns representing 65% of the total

population is covered. The number of births and deaths recorded in these towns were 12,114 and 4,823 representing birth rates and death rates of 28.8 and 11.5 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) States (Part B).—The data here relate to 36 towns with an estimated population of 5,412 thousands. The total number of towns is 62 and their population is 7,801 thousands. Thus 58% of the total number of towns representing 69% of the total population is covered. The number of births and deaths recorded in these towns were 2,316 and 870 representing birth and death rates of 22.3 and 8.4 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 21-12-56		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Andhra . . .	37.7	16.7	22.8	10.9	†	†
Assam . . .	11.1	5.8	9.9	12.2	†	†
Bhopal . . .	33.0	4.0	22.8	8.2	†	†
Bombay . . .	26.9	11.7	30.7	11.8	32.1	15.2
Madhya Pradesh . .	35.5	11.6	29.5	9.2	28.5	14.0
Orissa . . .	64.5	18.9	42.3	17.6	39.2	23.7
Punjab . . .	36.7	9.3	36.6	8.7	31.6	10.3
U. P. . . .	33.5	12.5	32.4	13.2	32.9	15.5
West Bengal . . .	19.4	8.9	16.7	9.2	17.2	12.4
India (Only States Parts A and C)	28.8	11.5	32.7	14.2	32.2	16.2

*6 Part A States and 1 Part C State.

† Figures not available.

NEW DELHI-2 (INDIA) ;
The 13th February, 1956. }

K. MITRA,
for Registrar General, India

